



Thank you for purchasing your shed from Forest Garden. No matter what size garden, a shed is the most practical of garden structures. Simply follow these step by step instructions and our top tips and you'll be enjoying your shed for many years to come. If you have any questions or need advice, our friendly team is here to help.

SHED INSTRUCTIONS


SMALL/MEDIUM SHEDS (4x3, 5x3, 6x3, 6x4, 7x5)

FIXING PACK CONTAINS:


FIXING PACK CODE: *MSFP1*



3 x 16mm Screws QTY: 2
Forest Badge QTY: 1




Flush Hinges
QTY: 2



Hasp & Staple
QTY: 1

(L-Brackets are for sheds with windows only).



50mm L-Brackets
QTY: 8

Missing something or need more information?

Call our aftersales team on
0333 321 3142

Visit our website for spare instructions and more information

www.forestgarden.co.uk


BEFORE YOU START

Please read through these instructions to familiarise yourself with your shed. We recommend that you **check all the components** using the lists found on the front and back pages before you start to build.


All of our sheds are constructed in the same way. They simply come with different components depending on the type of shed you have. Don't worry if your fixing pack contains some spare items at the end of the build (you haven't missed a bit!) we have sent you a generic fixing pack to suit the shed range.

BASE PREPARATION


It is vital that you build your new shed on a **solid, level base**. Timber or Plastic Shed Bases are ideal, as is solid concrete or concrete slabs.




Timber Base
Self-constructed/
Buy pre-made




Concrete
Concrete surface/
Concrete slabs



Pro Shed Base
Interlocking
eco-friendly base



Broken Slabs/Gaps
Uneven slab sizes
with no cement




Soil
A base of soil or
grass only

If you have an existing base and think it is suitable for your new shed to be sited on, it is important you check that it is level and does not deviate by any more than 15mm from edge to edge. If this is not the case the building will twist, causing gaps to appear in the sections and the roof, doors, and windows to misalign.


There is more information on base preparation on our website www.forestgarden.co.uk

TOOLS NEEDED

We recommend using the following tools (not supplied):




Tape Measure



Sharp Knife




Pozidrive
Screwdriver




Drill & 2-6mm
Drill Bits



Hammer



Ladder



Spirit Level

We recommend getting everything aligned properly before screwing together and that the **screw holes are pre-drilled** at this stage to **avoid splitting the timber**. We do not provide pre-drilled holes due to the nature of expanding and shrinking timber, which can cause pre-drilled holes to misalign.



IMPORTANT
Assembly requires 2+
adults.



REMINDER
Always pre-drill before
screwing.

PLEASE KEEP PLASTIC BAGS AND SMALL PARTS AWAY FROM CHILDREN
CHECK AND TIGHTEN ALL THE FIXINGS APPLIED TO THIS PRODUCT ON A REGULAR BASIS

CARE & ATTENTION

To help you get the most out of our products it is useful to know a little more about the properties of timber, what is normal and how your shed may behave as the seasons change. Wood is an extremely durable material for construction but as a natural product when used outdoors it is susceptible to changes in the environment.

THINGS THAT YOU MIGHT SEE IN YOUR PRODUCT



MOVEMENT, TWISTING & WARPING

Wood contains a natural level of moisture so decreasing humidity levels in the surrounding air may cause panels to change their shape as the porous fibres shrink. This can be exaggerated during prolonged periods of dry weather. Movement and gaps in timber products are normal, in most cases the wood will revert to its original form once the high temperatures subside and there is more moisture content in the air. Similarly, in the winter months, the opposite may occur with wood swelling.



EXPANSION, CONTRACTION, SPLITS & CRACKS

All timber will expand and contract according to its environment. As a result of this expansion and contraction, it is very common to see splits and cracks developing in the wood. Splits are common during the spring and summer months as the wood begins to dry out. The outer surface dries first and contracts, contracting over a still expanded core of the wood. The result of this is that splits and cracks appear along the grain of wood. These splits are not a fault and do not affect the structural integrity of a product.



MOULD & BLUE STAIN

Mould is a surface-dwelling fungus that feeds on the nutrients and debris contained in the surface cells of timber. The most common problems associated with mould are discoloured timber and an increase in permeability of the timber. Blue stain is part of the same family but penetrates deeper into the surface layers of the timber. It stains the timber a dark blue, whereas mould is usually black. These do not cause the timber to rot. Keep the building well ventilated to avoid mould.

ADVICE ON FELT HANDLING & USAGE


Roofing felt is flexible at temperatures above 5°C. In cold temperatures extra care must be taken when handling and installing to prevent cracking and damage to the felt. The felt should not be rolled, folded, or used in temperatures lower than 5° C. In cold temperatures the felt should be stored above 10°C (indoors) for 24 hours prior to use. Felt must be lifted, not dragged, and should be stored on its end on a dry surface.

8 TOP TIPS TO ENSURE YOUR SHED IS FULLY WATERPROOF


- 1 POSITION YOUR SHED IN THE BEST LOCATION IN YOUR GARDEN**
Avoid areas where water pools and which are constantly wet. Position away from trees and cut back any overhanging foliage which can cause moisture to be trapped against the walls and debris to collect on the roof.
- 2 RAISE YOUR SHED OFF THE GROUND**
Ideally, any concrete base should be the same footprint as the shed to allow surface water to run off without pooling. A timber base can also be used. Raise your shed 50mm above ground level.
- 3 SEAL THE BEARERS**
If using a wooden base, we recommend treating it with a treatment containing wax or oil. Also coat the bearers that meet the ground to prevent moisture rising.
- 4 USE AN END-GRAIN PROTECTOR**
To protect the corners and panel joins, an end grain protector can be applied.
- 5 SEAL THE PANELS & WINDOWS**
Use a flexible silicone sealant around windows to prevent water ingress. This can also be used where two sections of the shed join together. Apply internally.
- 6 CONSIDER ADDING GUTTERS**
Adding guttering around the fascia of the shed will redirect rainwater away from the shed's foundation.
- 7 KEEP VENTILATED**
Good airflow around the perimeter of the shed and regular ventilation inside the shed will help prevent mould and mildew.
- 8 CONSIDER A WATER SEALANT**
You may want to consider painting your shed with a water sealant at least once a year. This will help reduce the risk of water ingress. We would recommend using 'Bostik Cementone Water Seal' of which can be purchased from multiple DIY stores.

HEALTH & SAFETY


We strongly recommend that PPE (Personal Protective Equipment) is used throughout your build to ensure you are protected from any potential health and safety risks. **Do not exempt yourself from wearing PPE.**




Cut-Resistant
Gloves




Protective Glasses



Protective Boots



Protective Mask



Working At
Height

THE ROOF OF THIS BUILDING IS NOT A LOAD BEARING STRUCTURE

The components provided may be heavy. Please lift with caution and with a minimum of 2 people. Please carefully unpack your shed and loose components as they may have moved during transportation.

TREATMENT INFORMATION

The treatment applied to your shed is to ensure longevity and protection against fungal decay and rot. This may leave colour variations, but these will even out as the moisture content stabilises.

Dip Treatment	Pressure Treatment
Dip treatment is to provide protection against fungal decay	Pressure treatment is to provide protection against rot
Dip treated sheds MUST be re-treated every year	Pressure treated sheds do not need to be re-treated every year
10 year guarantee	25 year guarantee

Use the 'waterproofing top tips' to increase the longevity of your shed.
See our website for more information at [www.forestgarden.co.uk /guide-to-our-products/](http://www.forestgarden.co.uk/guide-to-our-products/)

Treated timber contains biocidal products for control of wood destroying organisms.

Active Ingredients - Propiconazole, Tebuconazole, IPBC, Permethrin, Benzyl-C12-16-Alkyldimethyl Chlorides. (Dip Treated Sheds)

Basic Copper Carbonate, DDA Carbonate, DDA Chloride. (Pressure Treated Sheds)

- Wear gloves when handling.
- Avoid inhalation of sawdust.
- Do not use in contact with drinking water or food.
- Do not use for animal bedding or in fish ponds.
- Dispose of treated wood responsibly.

DISCLAIMER

Check you have all your parts prior to assembly.

Timber is a natural material of which will shrink and swell because of varying moisture content.

Assembly of damaged parts may be deemed to be acceptance, and this may affect the remedies you are entitled to.

If the product is not constructed in accordance with the instructions, or is altered in anyway (e.g. painted), the manufacturer cannot be held liable for any resulting damage.

If you are organising a third party to install your shed, it is best not to schedule this immediately on receipt of your order, to give you time to check your delivery.



IDENTIFY YOUR SHED

5

From the **floor plans** below, identify your shed based on the **width, depth and shed code** provided. You will need this to identify the side panel positions before assembling your shed. Use the key as a guide.

Assembly of your chosen shed will slightly differ throughout the steps based on the size of your shed. This will be mentioned throughout the instructions for guidance.

KEY



A 1ft Panel (295 x 1603mm)

B 1.5ft Panel (442 x 1603mm)

C 2ft Panel (590 x 1603mm)
(With & without windows)

D 3ft Panel (885 x 1603mm)
(With & without windows)

E 4ft Panel (1180 x 1603mm)
(With & without windows)

F 1ft Panel (295 x 1717mm)

G 3ft Panel (885 x 1717mm)


H 3ft Panel (885 x 1945mm)

PLEASE NOTE








The sheds are made up of multiple sections where same size panels are interchangeable.

SINGLE DOOR

The door is flexible for all shed types and can be hinged onto either side.



Indicates the panel orientation during construction. This will apply to all of the corners for your chosen shed.



1 CONSTRUCTION

1a FLOORS & SIDES


6





Position the floor(s) in your desired location. For the 7x5 sheds only, **butt the floor bearers together** and ensure they are flush on each side.

Layout the panels around your shed base.

We recommend to start in a back corner then **work from the back panels to the front panels** for assembly.



7X5 SHEDS ONLY




1b Start at a back corner. See the section layout on page 5 to confirm position. Secure the corner as shown below.

Repeat the process for remaining panels and **secure panels together**. Make sure that the bottom frame of the wall panel rests on the outer edge of the floor.

Secure the panels into place by **screwing into the floor**. Screw the door batten down.


EG. INSIDE CORNER



SIDE PANEL


50MM SCREWS

EG. SIDES



50MM SCREWS

EG. INTO FLOOR



45MM SCREWS

40MM SCREWS


EG. DOOR BATTEN (28 x 28 x 590mm)

1c Start with the Apex section and work around, screwing the additional panels. Finish with the other Apex section.

Attach the Apex section by screwing to the wall panel and repeat for the other Apex Section.


Attach the back Triangular Pent Section by screwing to the wall panel. You will need to **skip to step 3 to secure the door strips** before securing the front Triangular Pent Section. Then, secure a door batten using 2 x L-brackets to the door strip and panel for the front Triangular Pent Section to be secured.

REVERSE APEX ROOF




50MM SCREWS

APEX ROOF




50MM SCREWS

PENT ROOF



25MM SCREWS



50MM SCREWS

2 WINDOWS

7


Fix interior sills at the base of windows with L-brackets and screws at a 1002mm distance from the floor. Repeat this for multiple windows, as shown below.

Secure windows by screwing through the window cover strips and window into the panel frame (30mm screws). Screw into the top and bottom of the window and into the interior sill to keep secure (25mm screws). Make sure the window is centralised for all window frames as shown below.

SINGLE WINDOW ASSEMBLY




PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.



DOUBLE WINDOW ASSEMBLY



PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.



3 COVER AND DOOR STRIPS




PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Attach the cover strips onto the corners. Ensuring they are flush to the bottom edge of the panels as shown below.

Attach the cover strips onto the adjoining panels. Ensuring it is flush to the bottom edge of the panels as shown below.

Secure the door weather strip onto the side you want the hinges, and ensure it's flush to the floor and against the face of the wall panel framing.

Attach the slamming strip onto the opposite side you want the hinges, onto the wall panel shown below.



4 ROOF



8


4a

Secure the single ridge beam by screwing into the apex as shown. (The 6x3 does not have a single ridge beam and therefore this step will be skipped for this specific shed.)


Before placing the OSB roof sheets onto the roof, **screw the roof support strip(s)** along the longest edge of both of the OSB sheets. Ensuring they are flush to the OSB roof sheet edges.

The 6x3 shed has one OSB roof sheet only, therefore apply both roof support strips to the one sheet as shown below.

70MM
SCREWS




30MM
SCREWS



6x3 OSB SHEET ONLY

30MM
SCREWS



7x5 OSB SHEETS ONLY


4b

Screw the OSB roof sheets into position as shown below into the shed frame and beam. (The 6x3 will only have one OSB roof sheet to be screwed into the frame.)

Measure out 2 equal lengths and overlap it on the top, around the edges and **fold the corners; tack to keep secure.** Ensure 50mm at the bottom and work from the bottom to the top.

Secure the fascias and the finial (apex only) with screws as shown below based on your chosen shed.


30MM
SCREWS




CAUTION

Ensure you screw into the single ridge beam underneath.


TOP TIP: Use measuring tape to measure out 2 equal lengths & cut with a sharp knife. Hammer the tacks into the felt. Add the tacks at 150mm intervals.



25MM
SCREWS



5 DOOR FIXINGS




Attach 2 hinges onto the door frame with the measurements provided. Please take note of the hinge position shown below.

Place the door into the opening, ensuring it's level. Make sure the hinges are up against the door weather strip face.

Fix the Hasp and Staple as shown. Ensure the screws go into the framework behind.

HINGE POSITION


25MM
SCREWS



DOOR

Allow a 5mm gap at the top when placing door.


25MM
SCREWS



HASP & STAPLE POSITIONING

TOP TIP: Line up the hasp & staple. Mark the edges with a pencil for guidance.

25MM
SCREWS



FRAMEWORK

Make sure the outer face of the notch on the hinge is in line with the door face.

PRESSURE TREATED OVERLAP APEX SHEDS
CHECK YOU HAVE ALL YOUR PARTS PRIOR TO ASSEMBLY.

Overlap Apex 4' x 3' - No Windows (OPA43NWM)		
Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM295PP	Section A - 1ft Panel (295x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	1
OPAMPEA4	Back Apex Section (324x1194mm)	1
OPAMDEA4	Front Apex Section (324x1194mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL43	Floor (941x1180mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28280590PT	Door Batten (28x28x590mm)	1
28280973	Roof Support Strip (28x28x973mm)	2
38120770PAI63PT	Fascia (38x12x770mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	4
45280941	Single Ridge Beam (45x28x941mm)	1
OSB9737428	OSB Roof Sheet (742x973x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 4' x 3' - 2 Windows (OPA43M)		
Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	1
OPM885WP	Section D - 3ft Window Panel (885x1603mm)	1
OPM295PP	Section A - 1ft Panel (295x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	1
OPAMPEA4	Back Apex Section (324x1194mm)	1
OPAMDEA4	Front Apex Section (324x1194mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL43	Floor (941x1180mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28160550PT	Window Cover Strip (28x16x550mm)	3
28280400PT	Interior Sill (28x28x400mm)	2
28280590PT	Door Batten (28x28x590mm)	1
28280973	Roof Support Strip (28x28x973mm)	2
38120770PAI63PT	Fascia (38x12x770mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	4
45280941	Single Ridge Beam (45x28x941mm)	1
RPET885	Window (428x577mm)	2
OSB9737428	OSB Roof Sheet (742x973x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 5' x 3' - No Windows (OPA53NWM)		
Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	3
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	1
OPM442PP	Section B -1.5ft Panel (442 x 1603mm)	2
OPAMPEA5	Back Apex Section (384x1488mm)	1
OPAMDEA5	Front Apex Section (384x1488mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL35	Floor (941x1475mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28280590PT	Door Batten (28x28x590mm)	1
28280973	Roof Support Strip (28x28x973mm)	2
38120939PAI63PT	Fascia (38x12x939mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	5
45280941	Single Ridge Beam (45x28x941mm)	1
OSB9739118	OSB Roof Sheet (973x911x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 5' x 3' - 2 Windows (OPA53M)		
Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM885WP	Section D Window Panel - 3ft Panel (885x1603mm)	1
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	1
OPM442PP	Section B -1.5ft Panel (442 x 1603mm)	2
OPAMPEA5	Back Apex Section (384x1488mm)	1
OPAMDEA5	Front Apex Section (384x1488mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL35	Floor (941x1475mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28160550PT	Window Cover Strip (28x16x550mm)	3
28280400PT	Interior Sill (28x28x400mm)	2
28280590PT	Door Batten (28x28x590mm)	1
28280973	Roof Support Strip (28x28x973mm)	2
38120939PAI63PT	Fascia (38x12x939mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	5
45280941	Single Ridge Beam (45x28x941mm)	1
RPET885	Window (428x577mm)	1
OSB9739118	OSB Roof Sheet (973x911x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 6' x 4' - 4 Windows (OPA464WMF)		
Part Code	Description	Qty
OPM885WP	Section D - 3ft Panel (885 x 1603mm)	2
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM295PP	Section A - 1ft Panel (295x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	1
OPAMPEA4	Back Apex Section (324x1194mm)	1
OPAMDEA4	Front Apex Section (324x1194mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL46	Floor (1180x1826mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28160550PT	Window Cover Strip (28x16x550mm)	6
28280400PT	Interior Sill (28x28x400mm)	4
28280590PT	Door Batten (28x28x590mm)	1
38121710PPT	Weather Strip (38x12x1710mm)	1
38120770PAI63PT	Fascia (38x12x770mm)	4
44161583PT	Cover Strip (44x16x1583mm)	6
45281826	Single Ridge Beam (45x28x1826mm)	1
28281858	Roof Support Strip (28x28x1858)	2
RPET885	Window (428x577mm)	4
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 6' x 4' - No Windows (OPA46NWM/OPA46NWMLT)		
Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	4
OPM295PP	Section A - 1ft Panel (295x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	1
OPAMPEA4	Back Apex Section (324x1194mm)	1
OPAMDEA4	Front Apex Section (324x1194mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL46	Floor (1180x1826mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28280590PT	Door Batten (28x28x590mm)	1
28281858	Roof Support Strip (28x28x1858)	2
38120770PAI63PT	Fascia (38x12x770mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	6
45281826	Single Ridge Beam (45x28x1826mm)	1
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 6' x 4' - 1 Window (OPA46M/OPA46MLT)		
Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM590WP	Section C - 2ft Window Panel (590 x 1603mm)	1
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	2
OPM295PP	Section A - 1ft Panel (295x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	1
OPAMPEA4	Back Apex Section (324x1194mm)	1
OPAMDEA4	Front Apex Section (324x1194mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL46	Floor (1180x1826mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28160550PT	Window Cover Strip (28x16x550mm)	2
28280534PT	Interior Sill (28x28x534mm)	1
28280590PT	Door Batten (28x28x590mm)	1
28281858	Roof Support Strip (28x28x1858)	2
38120770PAI63PT	Fascia (38x12x770mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	7
45281826	Single Ridge Beam (45x28x1826mm)	1
RPET590	Window (575x577mm)	1
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 7' x 5' - No Windows (OPA57NWM/OPA57NWMLT)		
Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	3
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	1
OPM442PP	Section B -1.5ft Panel (442 x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	2
OPAMPEA5	Back Apex Section (384x1488mm)	1
OPAMDEA5	Front Apex Section (384x1488mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL257	Floor (737x2121mm)	2
28121637PPT	Slamming Strip (28x12x1637mm)	1
28280590PT	Door Batten (28x28x590mm)	1
28281076	Roof Support Strip (28x28x1076mm)	4
38120939PAI63PT	Fascia (38x12x939mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	7
45282121	Single Ridge Beam (45x28x2121mm)	1
OSB21539118	OSB Roof Sheet (911x2153x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

Overlap Apex 7' x 5' - 2 Windows (OPA57M)		
Part Code	Description	No.
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	1
OPM442PP	Section B -1.5ft Panel (442 x 1603mm)	4
OPM1180WP	Section E - 4ft Window Panel (1180x1603mm)	1
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	1
OPAMPEA5	Back Apex Section (384x1488mm)	1
OPAMDEA5	Front Apex Section (384x1488mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL257	Floor (737x2121mm)	2
28121637PPT	Slamming Strip (28x12x1637mm)	1
28160550PT	Window Cover Strip (28x16x550mm)	3
28280548PT	Interior Sill (28x28x548mm)	2
28280590PT	Door Batten (28x28x590mm)	1
28281076	Roof Support Strip (28x28x1076mm)	4
38120939PAI63PT	Fascia (38x12x939mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	1
44161583PT	Cover Strip (44x16x1583mm)	8
45282121	Single Ridge Beam (45x28x2121mm)	1
RPET590	Window (575x577mm)	2
OSB21539118	OSB Roof Sheet (911x2153x8mm)	2
FIN20010512PT	Final (105x12x200mm)	1
Contact our after sales team with your product code if you are missing your felt.		

PRESSURE TREATED OVERLAP REVERSE APEX & PENT SHEDS

Overlap Reverse Apex 4' x 6' - 2 Windows (OPR64M)		
Part Code	Description	Qty
OPRAMPEA4	Apex Section (550x1180mm)	2
OPM885WP	Section D - 3ft Window Panel (885 x 1603)	1
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM885PIFP	3ft Infill Panel (885x248mm)	2
OPM590PIFP	2ft Infill Panel (590x248mm)	1
OPM295PP	Section A - 1ft Panel (295x 1603mm)	1
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	2
OPM1180DIFP	4ft Door Infill Panel (1180x248mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL46	Floor (1180x1826mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28160550PT	Window Cover Strip (28x16x550mm)	3
28280400PT	Interior Sill (28x28x400mm)	2
28280590PT	Door Batten (28x28x590mm)	1
28281858	Roof Support Strip (28x28x1858)	2
38121710PPT	Weather Strip (38x12x1710mm)	1
38120770PAI63PT	Fascia (38x12x770mm)	4
44160230PT	Cover Strip (44x16x230mm)	1
44161810PT	Cover Strip (44x16x1810mm)	5
45281826	Single Ridge Beam (45x28x1826mm)	1
RPET885	Window (428x577mm)	2
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2
Contact our after sales team with your product code if you are missing your felt.		

Overlap Reverse Apex 4' x 6' - No Windows (OPR64NWM)		
Part Code	Description	Qty
OPRAMPEA4	Apex Section (550x1180mm)	2
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM885PIFP	3ft Infill Panel (885x248mm)	2
OPM590PIFP	2ft Infill Panel (590x248mm)	1
OPM295PP	Section A - 1ft Panel (295x 1603mm)	1
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	2
OPM1180DIFP	4ft Door Infill Panel (1180x248mm)	1
MSPDR	Door (582x1692mm)	1
MSBFL46	Floor (1180x1826mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28280590PT	Door Batten (28x28x590mm)	1
28281858	Roof Support Strip (28x28x1858)	2
38121710PPT	Weather Strip (38x12x1710mm)	1
38120770PAI63PT	Fascia (38x12x770mm)	4
44160230PT	Cover Strip (44x16x230mm)	1
44161810PT	Cover Strip (44x16x1810mm)	5
45281826	Single Ridge Beam (45x28x1826mm)	1
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2
Contact our after sales team with your product code if you are missing your felt.		

Overlap Pent 6' x 3' - No Windows (OPP63M)		
Part Code	Description	Qty
OPPMRHA3	Right Pent Section (249x920mm)	1
OPPMLHA3	Left Pent Section (249x920mm)	1
OPPM885BP	Section G - 3ft pent back panel (885 x 1717mm)	3
OPPM295BP	Section F - 1ft pent front panel (295 x 1717mm)	1
OPM885TPP	Section H - 3ft Pent panel (885 x 1945mm)	2
MSPDR	Door (582x1692mm)	1
MSBFL36	Floor (941x1770mm)	1
28121637PPT	Slamming Strip (28x12x1637mm)	1
28280590PT	Door Batten (28x28x590mm)	1
28281802	Roof Support Strip (28x28x1802mm)	2
3812110PPT	Fascia (38x12x110mm)	2
38121710PPT	Weather Strip (38x12x1710mm)	1
44161695PT	Cover Strip (44x16x1695mm)	3
44161925PT	Cover Strip (44x16x1925mm)	3
OSB180211008	OSB Roof Sheet (1802x1100x8mm)	1
Contact our after sales team with your product code if you are missing your felt.		

(The parts do not have codes on them. They are listed above should you need to order one.)

DIP TREATED SHIPLAP APEX SHEDS

CHECK YOU HAVE ALL YOUR PARTS PRIOR TO ASSEMBLY.

Shiplap Apex 4' x 3' - No Windows (SDA43NWM)		
Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	2
SDM295PP	Section A - 1ft Panel (295x 1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	1
SDAMPEA4	Back Apex Section (312x1194mm)	1
SDAMDEA4	Front Apex Section (312x1194mm)	1
MSDDR	Door (582x1692mm)	1
MSBFL43	Floor (941x1180mm)	1
28121637PDT	Slamming Strip (28x12x1637mm)	1
28280590DT	Door Batten (28x28x590mm)	1
28280973	Roof Support Strip (28x28x973mm)	2
38120770PAI63DT	Fascia (38x12x770mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	4
45280941	Single Ridge Beam (45x28x941mm)	1
OSB9737428	OSB Roof Sheet (742x973x8mm)	2
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 4' x 3' - 2 Windows (SDA43M)		
Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	1
SDM885WP	Section D - 3ft Window Panel (885x1603mm)	1
SDM295PP	Section A - 1ft Panel (295x 1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	1
SDAMPEA4	Back Apex Section (312x1194mm)	1
SDAMDEA4	Front Apex Section (312x1194mm)	1
MSDDR	Door (582x1692mm)	1
MSBFL43	Floor (941x1180mm)	1
28121637PDT	Slamming Strip (28x12x1637mm)	1
28120550PDT	Window Cover Strip (28x12x550mm)	3
28280400DT	Interior Sill (28x28x400mm)	2
28280590DT	Door Batten (28x28x590mm)	1
28280973	Roof Support Strip (28x28x973mm)	2
38120770PAI63DT	Fascia (38x12x770mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	4
45280941	Single Ridge Beam (45x28x941mm)	1
RPET885	Window (428x577mm)	2
OSB9737428	OSB Roof Sheet (742x973x8mm)	2
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 6' x 4' - No Windows (SDA46NWM)		
Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603)	4
SDM295PP	Section A - 1ft Panel (295x 1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	1
SDAMPEA4	Back Apex Section (312x1194mm)	1
SDAMDEA4	Front Apex Section (312x1194mm)	1
MSDDR	Door (582x1692mm)	1
MSBFL46	Floor (941x1180mm)	1
28121637PDT	Slamming Strip (28x12x1637mm)	1
28280590DT	Door Batten (28x28x590mm)	1
28281858	Roof Support Strip (28x28x1858)	2
38120770PAI63DT	Fascia (38x12x770mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	6
45281826	Single Ridge Beam (45x28x1826mm)	1
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 6' x 4' - 1 Window (SDA46M)		
Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603)	2
SDM590WP	Section C - 2ft Window Panel (590 x 1603mm)	1
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	2
SDM295PP	Section A - 1ft Panel (295x 1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	1
SDAMPEA4	Back Apex Section (312x1194mm)	1
SDAMDEA4	Front Apex Section (312x1194mm)	1
MSDDR	Door (582x1692mm)	1
MSBFL46	Floor (941x1180mm)	1
28120550PDT	Window Cover Strip (28x12x550mm)	2
28121637PDT	Slamming Strip (28x12x1637mm)	1
28280534DT	Interior Sill (28x28x534mm)	1
28280590DT	Door Batten (28x28x590mm)	2
28281858	Roof Support Strip (28x28x1858)	4
38120770PAI63DT	Fascia (38x12x770mm)	1
38121710PDT	Weather Strip (38x12x1710mm)	6
40121583PDT	Cover Strip (40x12x1583mm)	1
45281826	Single Ridge Beam (45x28x1826mm)	1
RPET590	Window (575x577mm)	1
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

DIP TREATED SHIPLAP REVERSE APEX & PENT SHEDS

Shiplap Reverse Apex 6' x 4' - 2 Windows (SDR64M)		
Part Code	Description	Qty
SDRAMPEA4	Apex Section (538x1180mm)	2
SDM885WP	Section D - 3ft Window Panel (885 x 1603)	1
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	2
SDM885PIFP	3ft Infill Panel (885x248mm)	2
SDM590PIFP	2ft Infill Panel (590x248mm)	1
SDM295PP	Section A - 1ft Panel (295x 1603mm)	1
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	2
SDM1180DIFP	4ft Door Infill Panel (1180x248mm)	1
MSDDR	Door (582x1692mm)	1
MSBFL46	Floor (941x1180mm)	1
28121637PDT	Slamming Strip (28x12x1637mm)	1
38121710PDT	Weather Strip (38x12x1710mm)	1
28120550PDT	Window Cover Strip (28x12x550mm)	3
28280400DT	Interior Sill (28x28x400mm)	2
28280590DT	Door Batten (28x28x590mm)	1
28281858	Roof Support Strip (28x28x1858)	2
38120770PAI63DT	Fascia (38x12x770mm)	4
40120225PDT	Cover Strip (40x12x225mm)	1
40121810PDT	Cover Strip (40x12x1810mm)	5
45281826	Single Ridge Beam (45x28x1826mm)	1
RPET885	Window (428x577mm)	2
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Reverse Apex 6' x 4' - No Windows (SDR64NWM)		
Part Code	Description	Qty
SDRAMPEA4	Apex Section (538x1180mm)	2
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	2
SDM885PIFP	3ft Infill Panel (885x248mm)	2
SDM590PIFP	2ft Infill Panel (590x248mm)	1
SDM295PP	Section A - 1ft Panel (295x 1603mm)	1
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	2
SDM1180DIFP	4ft Door Infill Panel (1180x248mm)	1
MSDDR	Door (582x1692mm)	1
MSBFL46	Floor (1180x1826mm)	1
28121637PDT	Slamming Strip (28x12x1637mm)	1
28280590DT	Door Batten (28x28x590mm)	1
28281858	Roof Support Strip (28x28x1858)	2
38121710PDT	Weather Strip (38x12x1710mm)	1
38120770PAI63DT	Fascia (38x12x770mm)	4
40120225PDT	Cover Strip (40x12x225mm)	1
40121810PDT	Cover Strip (40x12x1810mm)	5
45281826	Single Ridge Beam (45x28x1826mm)	1
OSB18587428	OSB Roof Sheet (742x1858x8mm)	2

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Pent 6' x 3' - No Windows (SDP63M)		
Part Code	Description	Qty
SDPMRHA3	Right Pent Section (237x920mm)	1
SDPMLHA3	Left Pent Section (237x920mm)	1
SDPM885BP	Section G - 3ft Pent back panel (885 x 1717mm)	3
SDPM295BP	Section F - 1ft Pent front panel (295 x 1717mm)	1
SDM885TPP	Section H - 3ft Pent panel (885 x 1945mm)	2
MSDDR	Door (582x1692mm)	1
MSBFL36	Floor (941x1770mm)	1
28121637PDT	Slamming Strip (28x12x1637mm)	1
28280590PDT	Door Batten (28x28x590mm)	1
28281802	Roof Support Strip (28x28x1802mm)	2
38121110PDT	Fascia (38x12x1110mm)	2
38121710PDT	Weather Strip (38x12x1710mm)	1
40121695PDT	Cover Strip (40x12x1695mm)	3
40121925PDT	Cover Strip (40x12x1925mm)	3
OSB180211008	OSB Roof Sheet (1802x1100x8mm)	1

Contact our aftersales team with your product code if you are missing your felt.



(The parts do not have codes on them. They are listed above should you need to order one.)