forest

Making British gardens great

Thank you for purchasing your shed from Forest Garden. No matter what size garden, a shed is the most practical of garden structures. Simply follow these step by step instructions and our top tips and you'll be enjoying your shed for many years to come. If you have any questions or need advice, our friendly team is here to help.

SHED INSTRUCTIONS
WORKSHOPS (8x10, 8x12, 10x10, 10x15, 10x20)

FIXING PACKS CONTAIN:

MSFP6 - **GENERAL FIXINGS**   MSUBPK2 - **EXTRA U-BRACKETS**
STPK27 -**TRUSS FIXINGS**

5 x **70mm** Screws QTY: **15**

4 x **50mm** Screws QTY: **61**

4 x **45mm** Screws QTY: **29**

4 x **40mm** Screws QTY: **23**

3.5 x **30mm** Screws QTY: **246**

3.5 x **25mm** Screws QTY: **196**

3 x **16mm** Screws QTY: **2**
Forest Badge QTY: **1**

THE FOREST
ETSD   2020
BETTER SHED

Turn Buttons QTY: **3**

Felt **Tacks** QTY: **472**

Z-Brackets(28mm) QTY: **12**

(L-Brackets are for sheds with windows only).

Truss Support Brackets (*MSMTJB*)
(8x10,8x12,10x10) QTY: **2**
(10x15) QTY: **4**
10x15) QTY: **6**

M6 x **60mm** Bolts QTY: **12**

M6 Nut QTY: **12**

M6 x **25mm** Washer QTY: **12**

Flush **Hinges** QTY: **4**

Hasp & **Staple** QTY: **1**

50mm **L-Brackets** QTY: **16**

U-Brackets (*MSUB*)
(8x10,8x12,10x10) QTY: **4**
(10x15) QTY: **8**
(10x20) QTY: **12**

Support Bracket Hangers (*MSTSB*)
(8x10,8x12,10x10) QTY: **2**
(10x15) QTY: **4**
(10x15) QTY: **6**

BEFORE YOU START

Please read through these instructions to familiarise yourself with your shed. We recommend that you **check all the components** using the lists found on the front and back pages before you start to build.

All of our sheds are constructed in the same way. They simply come with different components depending on the type of shed you have. Don't worry if your fixing pack contains some spare items at the end of the build (you haven't missed a bit!) we have sent you a generic fixing pack to suit the shed range.

BASE PREPARATION

It is vital that you build your new shed on a **solid, level base.** Timber or Plastic Shed Bases are ideal, as is solid concrete or concrete slabs.

| **Timber Base**	**Concrete**	**Pro Shed Base**	**Broken Slabs/Gaps**	**Soil**
Self-constructed/ Buy pre-made	Concrete surface/ Concrete slabs	Interlocking eco-friendly base	Uneven slab sizes with no cement	A base of soil or grass only

If you have an existing base and think it is suitable for your new shed to be sited on, it is important you check that it is level and does not deviate by any more than 15mm from edge to edge. If this is not the case the building will twist, causing gaps to appear in the sections and the roof, doors, and windows to misalign.

There is more information on base preparation on our website **www.forestgarden.co.uk**

TOOLS NEEDED

We recommend using the following tools (not supplied):

Tape Measure	Sharp Knife	Pozidrive Screwdriver	Drill & 2-6mm Drill Bits	Hammer	Ladder	Spirit Level

We recommend getting everything aligned properly before screwing together and that the **screw holes are pre-drilled** at this stage to **avoid splitting the timber.** We do not provide pre-drilled holes due to the nature of expanding and shrinking timber, which can cause pre-drilled holes to misalign.

IMPORTANT
Assembly requires 2+ adults.

REMINDER
Always pre-drill before screwing.

PLEASE KEEP PLASTIC BAGS AND SMALL PARTS AWAY FROM CHILDREN
CHECK AND TIGHTEN ALL THE FIXINGS APPLIED TO THIS PRODUCT ON A REGULAR BASIS

CARE & ATTENTION

To help you get the most out of our products it is useful to know a little more about the properties of timber, what is normal and how your shed may behave as the seasons change. Wood is an extremely durable material for construction but as a natural product when used outdoors it is susceptible to changes in the environment.

THINGS THAT YOU MIGHT SEE IN YOUR PRODUCT

MOVEMENT, TWISTING & WARPING

Wood contains a natural level of moisture so decreasing humidity levels in the surrounding air may cause panels to change their shape as the porous fibres shrink. This can be exaggerated during prolonged periods of dry weather. Movement and gaps in timber products are normal, in most cases the wood will revert to its original form once the high temperatures subside and there is more moisture content in the air. Similarly, in the winter months, the opposite may occur with wood swelling.

EXPANSION, CONTRACTION, SPLITS & CRACKS

All timber will expand and contract according to its environment. As a result of this expansion and contraction, it is very common to see splits and cracks developing in the wood. Splits are common during the spring and summer months as the wood begins to dry out. The outer surface dries first and contracts, contracting over a still expanded core of the wood. The result of this is that splits and cracks appear along the grain of wood. These splits are not a fault and do not affect the structural integrity of a product.

MOULD & BLUE STAIN

Mould is a surface-dwelling fungus that feeds on the nutrients and debris contained in the surface cells of timber. The most common problems associated with mould are discoloured timber and an increase in permeability of the timber. Blue stain is part of the same family but penetrates deeper into the surface layers of the timber. It stains the timber a dark blue, whereas mould is usually black. These do not cause the timber to rot. Keep the building well ventilated to avoid mould.

ADVICE ON FELT HANDLING & USAGE

Roofing felt is flexible at temperatures above 5°C. In cold temperatures extra care must be taken when handling and installing to prevent cracking and damage to the felt. The felt should not be rolled, folded, or used in temperatures lower than 5° C. In cold temperatures the felt should be stored above 10°C (indoors) for 24 hours prior to use. Felt must be lifted, not dragged, and should be stored on its end on a dry surface.

8 TOP TIPS TO ENSURE YOUR SHED IS FULLY WATERPROOF

1 **POSITION YOUR SHED IN THE BEST LOCATION IN YOUR GARDEN**
Avoid areas where water pools and which are constantly wet. Position away from trees and cut back any overhanging foliage which can cause moisture to be trapped against the walls and debris to collect on the roof.

2 **RAISE YOUR SHED OFF THE GROUND**
Ideally, any concrete base should be the same footprint as the shed to allow surface water to run off without pooling. A timber base can also be used. Raise your shed 50mm above ground level.

3 **SEAL THE BEARERS**
If using a wooden base, we recommend treating it with a treatment containing wax or oil. Also coat the bearers that meet the ground to prevent moisture rising.

4 **USE AN END-GRAIN PROTECTOR**
To protect the corners and panel joins, an end grain protector can be applied.

5 **SEAL THE PANELS & WINDOWS**
Use a flexible silicone sealant around windows to prevent water ingress. This can also be used where two sections of the shed join together. Apply internally.

6 **CONSIDER ADDING GUTTERS**
Adding guttering around the fascia of the shed will redirect rainwater away from the shed's foundation.

7 **KEEP VENTILATED**
Good airflow around the perimeter of the shed and regular ventilation inside the shed will help prevent mould and mildew.

8 **CONSIDER A WATER SEALANT**
You may want to consider painting your shed with a water sealant at least once a year. This will help reduce the risk of water ingress. We would recommend using 'Bostik Cementone Water Seal' of which can be purchased from multiple DIY stores.

HEALTH & SAFETY

We strongly recommend that PPE (Personal Protective Equipment) is used throughout your build to ensure you are protected from any potential health and safety risks. **Do not exempt yourself from wearing PPE.**

Cut-Resistant Gloves	Protective Glasses	Protective Boots	Protective Mask	Working At Height

THE ROOF OF THIS BUILDING IS NOT A LOAD BEARING STRUCTURE

The components provided may be heavy. Please lift with caution and with a minimum of 2 people.
Please carefully unpack your shed and loose components as they may have moved during transportation.

TREATMENT INFORMATION

The treatment applied to your shed is to ensure longevity and protection against fungal decay and rot.
This may leave colour variations, but these will even out as the moisture content stabilises.

Dip Treatment	Pressure Treatment
Dip treatment is to provide protection against fungal decay	Pressure treatment is to provide protection against rot
Dip treated sheds MUST be re-treated every year	Pressure treated sheds do not need to be re-treated every year
10 year guarantee	25 year guarantee

Use the 'waterproofing top tips' to increase the longevity of your shed.
See our website for more information at **www.forestgarden.co.uk /guide-to-our-products/**

Treated timber contains biocidal products for control of wood destroying organisms.

Active Ingredients - Propiconazole, Tebuconazole, IPBC, Permethrin, Benzyl-C12-16-Alkyldimethyl Chlorides. (Dip Treated Sheds)

Basic Copper Carbonate, DDA Carbonate, DDA Chloride. (Pressure Treated Sheds)

- Wear gloves when handling.
- Avoid inhalation of sawdust.
- Do not use in contact with drinking water or food.
- Do not use for animal bedding or in fish ponds.
- Dispose of treated wood responsibly.

DISCLAIMER

Check you have all your parts prior to assembly.

Timber is a natural material of which will shrink and swell because of varying moisture content.

Assembly of damaged parts may be deemed to be acceptance, and this may affect the remedies you are entitled to.

If the product is not constructed in accordance with the instructions, or is altered in anyway (e.g. painted), the manufacturer cannot be held liable for any resulting damage.

If you are organising a third party to install your shed, it is best not to schedule this immediately on receipt of your order, to give you time to check your delivery.

IDENTIFY YOUR SHED

From the **floor plans** below, identify your shed based on the **width, depth and shed code** provided.
You will need this to identify the side panel positions before assembling your shed. Use the key as a guide.

Assembly of your chosen shed will slightly differ throughout the steps based on the size of your shed. This will be mentioned throughout the instructions for guidance.

KEY

APEX SHED

- **A** – 1ft Panel (295 x 1603mm)
- **B** – 1.5ft Panel (442 x 1603mm)
- **C** – 2ft Panel (590 x 1603mm)
- **D** – 3ft Panel (885 x 1603mm) (With & without windows)
- **E** – 4ft Panel (1180 x 1603mm) (With & without windows)

PLEASE NOTE
The sheds are made up of multiple sections where same size panels are interchangeable.

Indicates the panel orientation during construction. This will apply to all of the corners for your chosen shed.

APEX
OPA810DDM, SDA810DDM

APEX
OPA810DDNWM, SDA810DDNWM

APEX
OPA812DDM, OPA812DDNWM, SDA812DDM, SDA812DDNWM

APEX
OPA1010DDM, SDA1010DDM

APEX
OPA1010DDNWM, SDA1010DDNWM

10'

15'

APEX
OPA1015DDM, SDA1015DDM

10'

15'

APEX
OPA1015DDNWM, SDA1015DDNWM

10'

20'

APEX
OPA1020DDM, SDA1020DDM

10'

20'

APEX
OPA1020DDNWM, SDA1020DDNWM

1 CONSTRUCTION

1a FLOORS & SIDES

PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Position the floors in your desired location. Follow the step provided based on your type of shed to piece the floors together as shown below. Use your section layout on pages 5-6, which shows the amount of floors for your chosen shed.

Layout the panels around your shed base.

We recommend to start in a back corner then **work from the back panels to the front panels for assembly.**

8X10, 8X12 SHEDS

10X10, 10X15, 10X20 SHEDS

1b

Start at a back corner. See the section layout on pages 5-6 to confirm position. Secure the corner as shown below.

Repeat the process for remaining panels and **secure panels together.** Make sure that the bottom frame of the wall panel rests on the outer edge of the floor.

Secure the panels into place by **screwing into the floor. Screw the door batten** down.

EG. INSIDE CORNER

SIDE PANEL

50MM SCREWS

EG. SIDES

50MM SCREWS

EG. INTO FLOOR

45MM SCREWS

40MM SCREWS

EG. DOOR BATTEN (28 x 28 x 1180mm)

1c

Attach the Back Apex Section by screwing to the wall panels. Leave the Front Apex Section off at this step. This step applies to the **8x10** and **8x12.**

For the **10x10, 10x15** and **10x20**, assemble the front and back Apex Sections shown below.

Once assembled, attach the Back Apex Section by screwing to the wall panels. Leave the Front Apex Section off at this step. This step applies to the **10x10, 10x15** and **10x20.**

50MM SCREWS

FRONT

BACK

50MM SCREWS

50MM SCREWS

8X10, 8X12 SHEDS

10X10, 10X15, 10X20 SHEDS

10X10, 10X15, 10X20 SHEDS

2 WINDOWS

PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Fix interior sills at the base of windows with L-brackets and screws at a 1002mm distance from the floor. Repeat this for multiple windows, as shown below.

Secure windows by screwing through the window cover strips and window into the panel frame (30mm screws). Screw into the top and bottom of the window and into the interior sill to keep secure (25mm screws). Make sure the window is centralised for all window frames as shown below.

INSIDE

1002mm

25MM SCREWS

OUTSIDE

30MM SCREWS 25MM SCREWS

WINDOW POSITIONING

OUTSIDE   INSIDE

WINDOW

SITS ONTO INTERIOR SILL

---

3 COVER AND DOOR STRIPS

PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Attach the cover strips onto the corners. Ensuring they are flush to the bottom edge of the panels as shown below.

Attach the cover strips onto the adjoining panels. Ensuring it is flush to the bottom edge of the panels as shown below.

Secure the door weather strips. Ensure it's flush to the floor and against the inside face of the wall panel frame as shown below.

Before attaching the doors, **Screw the slamming strip** onto the one door. Ensure you screw through the slamming strip into the door framework as shown below.

OUTSIDE   30MM SCREWS

OUTSIDE   30MM SCREWS

INSIDE

SIDE PANEL FRAME

DOOR WEATHER STRIP

INSIDE   70MM SCREWS

30MM SCREWS

45mm

COVER STRIPS(See pages 11-12 for measurement for chosen shed)

DOOR WEATHER STRIP (38 x 12 x 1710)

SLAMMING STRIP(45 x 28 x 1630)

---

4 ROOF

PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

4a **Assemble the truss** and screw the U-brackets onto each beam. Ensure the truss support brackets are added first and flush to the edge of the central beams to establish the correct angle. Screw the battens to the beams, underneath the truss support brackets.

For the 8x10, 8x12 and **10x10** sheds, **secure the support bracket hanger** with screws into the center of your shed. There needs to be one at each side.

For the **10x15** and **10x20** sheds, **secure the support bracket hangers** with screws onto the panels of your shed with the measurments shown below. There needs to be one at each side.

25MM SCREWS

70MM SCREWS

60MM BOLTS

8x10 & 8x12 MEASUREMENTS

388mm
506mm
388mm
506mm

10x10, 10x15 & 10x20 MEASUREMENTS

PRE-DRILL WITH 5MM BIT FOR BOLTS.

TOP TIP: Layout all the truss components & repeat the process for more than one truss.

25MM SCREWS

25MM SCREWS

1408mm
1397mm
1408mm

10X15 SHED

8X10, 8X12, 10X10 SHEDS

25MM SCREWS

1408mm
1397mm
1397mm
1408mm

10X20 SHED

4b

Before placing the OSB roof sheets onto the roof, **screw the roof support strips** along the edge of the OSB roof sheets. Ensuring they are flush to the edges. Add one strip onto each sheet as shown below. The strip will be the same length as one side of the sheet.

1454mm (8x10 & 8x12) Measurement)
1786mm (10x10, 10x15 & 10x20 Measurement)

30MM SCREWS

PLEASE NOTE
For the 10x15 & 10x20 sheds, the front and back OSB roof sheets are bigger than the ones in the centre.

For **10x10, 10x15** and **10x20** sheds, **screw the back Apex Section cover strip onto the join line.** If you are not constructing these shed sizes, skip this step.

30MM SCREWS

Screw the truss to the support bracket hangers. For the **10x15** and **10x20** sheds, screw only one truss to the back support bracket hangers first.

25MM SCREWS

4c

PREPARATION: Attach the Z-brackets onto the face of one end of the 12 beams as shown below. The beam should be flush to the Z-bracket.

ATTACHMENT: Secure the other end of the beams to the U-brackets on the truss by screwing from the underside of the beam.

Screw the Z-brackets that are already attached to the beams **onto the back apex section frame.** This will apply to all of sheds.

Ensure the Z-brackets are in this position to screw onto the apex sections frame.

PREPARATION
25MM SCREWS
28mm
Z-BRACKET

ATTACHMENT
25MM SCREWS
U-BRACKET

Staring at the back, screw the OSB roof sheets into position with the sheet edge onto the centre of the truss cental beam, as shown below into the shed frame and truss. The **10x15** and **10x20** sheds will have slight differences in sizes, therefore use the measurements shown below.

PLEASE NOTE
For the 10x15 & 10x20 sheds, the front and back OSB roof sheets are bigger than the ones in the centre.

1491mm
10x15 & 10x20 MEASUREMENT ONLY

30MM SCREWS

CAUTION
Ensure you screw into the truss/beams underneath.

TOP TIP: Mark onto the OSB sheet and draw a line to ensure you drill and screw into the truss/beams.

4d

The **10x15 and 10x20 sheds will repeat the process** for the rest of the beams, truss and OSB roof sheets, working down to the front. Attach the beams without Z-brackets onto the U-brackets provided between each truss by screwing from the underside of the beam.

Before applying the last beams and OSB roof sheets, **attach the front apex section (assembled).** Then **screw the cover strips** into the apex section panel join lines shown below.

Apply the final beams by **screwing the Z-brackets** that are already attached to the beams **onto the front apex section frame.**

10X15 & 10X20 SHEDS

10x15 & 10x20 MEASUREMENT ONLY
1475mm

30MM SCREWS

50MM SCREWS

30MM SCREWS

30MM SCREWS

4e

Measure out 4 equal lengths and overlap it on the top, around the edges and **fold the corners; tack to keep secure.** Ensure 50mm at the bottom and work from the bottom to the top.

Secure the fascias and the finial with screws as shown below based on your chosen shed.

TOP TIP: Use measuring tape to measure out 4 equal lengths & cut with a sharp knife. Hammer the tacks into the felt. Add the tacks at 150mm intervals.

50mm

FOR ALL SHED TYPES

25MM SCREWS

40MM SCREWS

5a DOOR FIXINGS

PRE-DRILL WITH 2MM BIT FOR ALL STEPS BELOW.

Attach 2 hinges onto the door frame with the measurements provided. Please take note of the hinge position shown below. Repeat this on the other door.

Place the door into the opening, ensuring it's level. Make sure the hinges are up against the door weather strip face. Repeat this with the other door.

Fix the Hasp and Staple as shown. Ensure the screws go into the framework behind.

HINGE POSITION

DOOR

NOTCH IN LINE WITH DOOR FACE

DOOR FACE

Make sure the outer face of the notch on the hinge is in line with the door face.

25MM SCREWS

175mm

202mm

DOOR

Allow a 5mm gap at the top when placing door.

5mm

25MM SCREWS

HASP & STAPLE POSITIONING

25MM SCREWS

TOP TIP: Line up the hasp & staple. Mark the edges with a pencil for guidance.

FRAMEWORK

5b

Fix the turn buttons as shown below. Screw one turn button at the top and at the bottom of the slamming strip. Screw into the slamming strip, ensuring it overlaps the frame.

Fix the turn button as shown below. Screw one turn button into the Apex Section, ensuring it overlaps the door. Make sure you screw the turn button above the door that does not have the slamming strip attached to it.

INSIDE

OUTSIDE

25MM SCREWS

25MM SCREWS

CHECK YOU HAVE ALL YOUR PARTS PRIOR TO ASSEMBLY.

Overlap Apex 8' x 10' - No Windows (OPA810DDNWM)

Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	4
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	4
OPAMPEA8	Back Apex Section (639x2430mm)	1
OPAMDDDEA8	Front Apex Section (639x2430mm)	1
MWSBFL258	Floor (737x2416mm)	4
MSPDR	Door (582x1692mm)	2
28281180PT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44161583PT	Cover Strip (44x16x1583mm)	9
45281421P	Beam - Truss (45x28x1421mm)	12
45281630PT	Slamming Strip (45x28x1630mm)	1
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAll63	Central Beam - Truss (45x45x1346mm)	2
59121493PAll63PT	Fascia (59x12x1493mm)	4
OSB149114548	OSB Roof Sheet (1491x1454x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 8' x 10' - 4 Windows (OPA810DDM)

Part Code	Description	Qty
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	4
OPM1180WP	Section E - 4ft Window Panel (1180x1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	4
OPAMPEA8	Back Apex Section (639x2430mm)	1
OPAMDDDEA8	Front Apex Section (639x2430mm)	1
MWSBFL258	Floor (737x2416mm)	4
MSPDR	Door (582x1692mm)	2
28160550PT	Window Cover Strip (28x16x550mm)	6
28280548PT	Interior Sill (28x28x548mm)	4
28281180PT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44161583PT	Cover Strip (44x16x1583mm)	9
45281421P	Beam - Truss (45x28x1421mm)	12
45281630PT	Slamming Strip (45x28x1630mm)	1
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAll63	Central Beam - Truss (45x45x1346mm)	2
59121493PAll63PT	Fascia (59x12x1493mm)	4
RPET590	Window (575x577mm)	4
OSB149114548	OSB Roof Sheet (1491x1454x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 8' x 12' - No Windows (OPA812DDNWM)

Part Code	Description	Qty
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	8
OPAMPEA8	Back Apex Section (639x2430mm)	1
OPAMDDDEA8	Front Apex Section (639x2430mm)	1
MWSBFL38	Floor (885x2416mm)	4
MSPDR	Door (582x1692mm)	2
28281180PT	Door Batten (28x28x1180mm)	1
28281786	Roof Support Strip (28x28x1786mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44161583PT	Cover Strip (44x16x1583mm)	9
45281630PT	Slamming Strip (45x28x1630mm)	1
45281716P	Beam - Truss (45x28x1716mm)	12
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAll63	Central Beam - Truss (45x45x1346mm)	2
59121493PAll63PT	Fascia (59x12x1493mm)	4
OSB178614548	OSB Roof Sheet (1786x1454x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 8' x 12' - 6 Windows (OPA812DDM)

Part Code	Description	Qty
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	2
OPM1180WP	Section E - 4ft Window Panel (1180x1603mm)	3
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	5
OPAMPEA8	Back Apex Section (639x2430mm)	1
OPAMDDDEA8	Front Apex Section (639x2430mm)	1
MWSBFL38	Floor (885x2416mm)	4
MSPDR	Door (582x1692mm)	2
28160550PT	Window Cover Strip (28x16x550mm)	9
28280548PT	Interior Sill (28x28x548mm)	6
28281180PT	Door Batten (28x28x1180mm)	1
28281786	Roof Support Strip (28x28x1786mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44161583PT	Cover Strip (44x16x1583mm)	9
45281630PT	Slamming Strip (45x28x1630mm)	1
45281716P	Beam - Truss (45x28x1716mm)	12
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAll63	Central Beam - Truss (45x45x1346mm)	2
59121493PAll63PT	Fascia (59x12x1493mm)	4
RPET590	Window (575x577mm)	6
OSB178614548	OSB Roof Sheet (1786x1454x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 10' x 10' - No Windows (OPA1010DDNWM)

Part Code	Description	Qty
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	3
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	6
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPAMPEA5RH	Back Right Apex Section (789x1510mm)	1
OPAMPEA5LH	Back Left Apex Section (789x1510mm)	1
OPAMDDDEA5RH	Front Right Apex Section (488x920mm)	1
OPAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
OPAMDDDEA5LH	Front Left Apex Section (488x920mm)	1
MWSBFL55	Floor (1475x1503mm)	4
MSPDR	Door (582x1692mm)	2
28281180PT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44160325Al63PT	Apex Section - Front Cover Strip (44x16x325mm)	2
44160730All63PT	Apex Section - Back Cover Strip (44x16x730mm)	1
44161583PT	Cover Strip (44x16x1583mm)	10
45281421P	Beam - Truss (45x28x1421mm)	12
45281630PT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	2
45451677PAll63	Central Beam - Truss (45x45x1677mm)	2
59121825PAll63PT	Fascia (59x12x1825mm)	4
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 10' x 10' - 4 Windows (OPA1010DDM)

Part Code	Description	Qty
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	2
OPM295PP	Section A - 1ft Panel (295x 1603mm)	2
OPM1180WP	Section E - 4ft Window Panel (1180x1603mm)	2
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	4
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPAMPEA5RH	Back Right Apex Section (789x1510mm)	1
OPAMPEA5LH	Back Left Apex Section (789x1510mm)	1
OPAMDDDEA5RH	Front Right Apex Section (488x920mm)	1
OPAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
OPAMDDDEA5LH	Front Left Apex Section (488x920mm)	1
MWSBFL55	Floor (1475x1503mm)	4
MSPDR	Door (582x1692mm)	2
28160550PT	Window Cover Strip (28x16x550mm)	6
28280548PT	Interior Sill (28x28x548mm)	4
28281180PT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44160325Al63PT	Apex Section - Front Cover Strip (44x16x325mm)	2
44160730All63PT	Apex Section - Back Cover Strip (44x16x730mm)	1
44161583PT	Cover Strip (44x16x1583mm)	11
45281421P	Beam - Truss (45x28x1421mm)	12
45281630PT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	2
45451677PAll63	Central Beam - Truss (45x45x1677mm)	2
59121825PAll63PT	Fascia (59x12x1825mm)	4
RPET590	Window (575x577mm)	4
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 10' x 15' - No Windows (OPA1015DDNWM)

Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	4
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	1
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	8
OPAMPEA5RH	Back Right Apex Section (789x1510mm)	1
OPAMPEA5LH	Back Left Apex Section (789x1510mm)	1
OPAMDDDEA5RH	Front Right Apex Section (488x920mm)	1
OPAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
OPAMDDDEA5LH	Front Left Apex Section (488x920mm)	1
MWSBFL55	Floor (1475x1503mm)	6
MSPDR	Door (582x1692mm)	2
28281180PT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	2
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44160325Al63PT	Apex Section - Front Cover Strip (44x16x325mm)	2
44160730All63PT	Apex Section - Back Cover Strip (44x16x730mm)	1
44161583PT	Cover Strip (44x16x1583mm)	12
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	6
45281630PT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	4
45451677PAll63	Central Beam - Truss (45x45x1677mm)	4
59121825PAll63PT	Fascia (59x12x1825mm)	4
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	2
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 10' x 15' - 6 Windows (OPA1015DDM)

| Part Code	Description	Qty
OPM885WP	Section D - 3ft Window Panel (885 x 1603mm)	3
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	5
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	1
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	5
OPAMPEA5RH	Back Right Apex Section (789x1510mm)	1
OPAMPEA5LH	Back Left Apex Section (789x1510mm)	1
OPAMDDDEA5RH	Front Right Apex Section (488x920mm)	1
OPAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
OPAMDDDEA5LH	Front Left Apex Section (488x920mm)	1
MWSBFL55	Floor (1475x1503mm)	6
MSPDR	Door (582x1692mm)	2
28160550DT	Window Cover Strip (28x16x550mm)	9
28280400PT	Interior Sill (28x28x400mm)	6
28281180PT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	2
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44160325Al63PT	Apex Section - Front Cover Strip (44x16x325mm)	2
44160730Al63PT	Apex Section - Back Cover Strip (44x16x730mm)	1
44161583PT	Cover Strip (44x16x1583mm)	13
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	6
45281630PT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	4
45451677PAll63	Central Beam - Truss (45x45x1677mm)	4
59121825PAll63PT	Fascia (59x12x1825mm)	4
RPET885	Window (428x577mm)	6
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	2
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 10' x 20' - 8 Windows (OPA1020DDNWM)

Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	1
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	12
OPAMPEA5RH	Back Right Apex Section (789x1510mm)	1
OPAMPEA5LH	Back Left Apex Section (789x1510mm)	1
OPAMDDDEA5RH	Front Right Apex Section (488x920mm)	1
OPAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
OPAMDDDEA5LH	Front Left Apex Section (488x920mm)	1
MWSBFL55	Floor (1475x1503mm)	8
MSPDR	Door (582x1692mm)	2
28281180PT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	4
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44160325Al63PT	Apex Section - Front Cover Strip (44x16x325mm)	2
44160730All63PT	Apex Section - Back Cover Strip (44x16x730mm)	1
44161583PT	Cover Strip (44x16x1583mm)	14
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	12
45281630PT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	6
45451677PAll63	Central Beam - Truss (45x45x1677mm)	6
59121825PAll63PT	Fascia (59x12x1825mm)	4
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

Overlap Apex 10' x 20' - 8 Windows (OPA1020DDM)

Part Code	Description	Qty
OPM885PP	Section D - 3ft Panel (885 x 1603mm)	2
OPM590PP	Section C - 2ft Panel (590 x 1603mm)	3
OPM1180WP	Section E - 4ft Window Panel (1180x1603mm)	4
OPM1180PP	Section E - 4ft Panel (1180x1603mm)	7
OPAMPEA5RH	Back Right Apex Section (789x1510mm)	1
OPAMPEA5LH	Back Left Apex Section (789x1510mm)	1
OPAMDDDEA5RH	Front Right Apex Section (488x920mm)	1
OPAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
OPAMDDDEA5LH	Front Left Apex Section (488x920mm)	1
MWSBFL55	Floor (1475x1503mm)	8
MSPDR	Door (582x1692mm)	2
28160550PT	Window Cover Strip (28x16x550mm)	12
28280548PT	Interior Sill (28x28x548mm)	8
28281180PT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	4
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PPT	Weather Strip (38x12x1710mm)	2
44160325Al63PT	Apex Section - Front Cover Strip (44x16x325mm)	2
44160730All63PT	Apex Section - Back Cover Strip (44x16x730mm)	1
44161583PT	Cover Strip (44x16x1583mm)	15
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	12
45281630PT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	6
45451677PAll63	Central Beam - Truss (45x45x1677mm)	6
59121825PAll63PT	Fascia (59x12x1825mm)	4
RPET590	Window (575x577mm)	8
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	4
FIN20010512PT	Finial (105x12x200mm)	1
Contact our aftersales team with your product code if you are missing your felt.		

DON'T FORGET TO PRE-DRILL AND ATTACH YOUR FOREST BADGE

(The parts do not have codes on them. They are listed above should you need to order one.)

CHECK YOU HAVE ALL YOUR PARTS PRIOR TO ASSEMBLY.

Shiplap Apex 8' x 10' - No Windows (SDA810DDNWM)

Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	4
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	4
SDAMPEA8	Back Apex Section (627x2430mm)	1
SDAMDDDEA8	Front Apex Section (627x2430mm)	1
MWSBFL258	Floor (737x2416mm)	4
MSPDR	Door (582x1692mm)	2
28281180DT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40121583PDT	Cover Strip (40x12x1583mm)	9
45281421P	Beam - Truss (45x28x1421mm)	12
45281630DT	Slamming Strip (45x28x1630mm)	1
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAII63	Central Beam - Truss (45x45x1346mm)	2
59121493PAII63DT	Fascia (59x12x1493mm)	4
OSB149114548	OSB Roof Sheet (1491x1454x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 8' x 10' - 4 Windows (SDA810DDM)

Part Code	Description	Qty
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	4
SDM1180WP	Section E - 4ft Window Panel (1180x1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	4
SDAMPEA8	Back Apex Section (627x2430mm)	1
SDAMDDDEA8	Front Apex Section (627x2430mm)	1
MWSBFL258	Floor (737x2416mm)	4
MSDDR	Door (582x1692mm)	2
28120550PDT	Window Cover Strip (28x12x550mm)	6
28280548DT	Interior Sill (28x28x548mm)	4
28281180DT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40121583PDT	Cover Strip (40x12x1583mm)	9
45281421P	Beam - Truss (45x28x1421mm)	12
45281630DT	Slamming Strip (45x28x1630mm)	1
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAII63	Central Beam - Truss (45x45x1346mm)	2
59121493PAII63DT	Fascia (59x12x1493mm)	4
RPET590	Window (575x577mm)	4
OSB149114548	OSB Roof Sheet (1491x1454x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 8' x 12' - No Windows (SDA812DDNWM)

Part Code	Description	Qty
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	8
SDAMPEA8	Back Apex Section (627x2430mm)	1
SDAMDDDEA8	Front Apex Section (627x2430mm)	1
MWSBFL38	Floor (885x2416mm)	4
MSDDR	Door (582x1692mm)	2
28281180DT	Door Batten (28x28x1180mm)	1
28281786	Roof Support Strip (28x28x1786mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40121583PDT	Cover Strip (40x12x1583mm)	9
45281630DT	Slamming Strip (45x28x1630mm)	1
45281716P	Beam - Truss (45x28x1716mm)	12
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAII63	Central Beam - Truss (45x45x1346mm)	2
59121493PAII63DT	Fascia (59x12x1493mm)	4
OSB178614548	OSB Roof Sheet (1786x1454x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 8' x 12' - 4 Windows (SDA812DDM)

Part Code	Description	Qty
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	2
SDM1180WP	Section E - 4ft Window Panel (1180x1603mm)	3
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	5
SDAMPEA8	Back Apex Section (627x2430mm)	1
SDAMDDDEA8	Front Apex Section (627x2430mm)	1
MWSBFL38	Floor (885x2416mm)	4
MSDDR	Door (582x1692mm)	2
28120550PDT	Window Cover Strip (28x12x550mm)	9
28280548DT	Interior Sill (28x28x548mm)	6
28281180DT	Door Batten (28x28x1180mm)	1
28281786	Roof Support Strip (28x28x1786mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40121583PDT	Cover Strip (40x12x1583mm)	9
45281630DT	Slamming Strip (45x28x1630mm)	1
45281716P	Beam - Truss (45x28x1716mm)	12
45450700P	Truss Support Batten (45x45x700mm)	2
45451346PAII63	Central Beam - Truss (45x45x1346mm)	2
59121493PAII63DT	Fascia (59x12x1493mm)	4
RPET590	Window (575x577mm)	6
OSB178614548	OSB Roof Sheet (1786x1454x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 10' x 10' - No Windows (SDA1010DDNWM)

Part Code	Description	Qty
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	3
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	6
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	2
SDAMPEA5RH	Back Right Apex Section (777x1510mm)	1
SDAMPEA5LH	Back Left Apex Section (777x1510mm)	1
SDAMDDDEA5RH	Front Right Apex Section (476x920mm)	1
SDAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
SDAMDDDEA5LH	Front Left Apex Section (476x920mm)	1
MWSBFL55	Floor (1475x1503mm)	4
MSDDR	Door (582x1692mm)	2
28281180DT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40120315AI63DT	Apex Section - Front Cover Strip (40x12x315mm)	2
40120730AI63DT	Apex Section - Back Cover Strip (40x12x730mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	10
45281421P	Beam - Truss (45x28x1421mm)	12
45281630DT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	2
45451677PAII63	Central Beam - Truss (45x45x1677mm)	2
59121825PAII63DT	Fascia (59x12x1825mm)	4
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 10' x 10' - 4 Windows (SDA1010DDM)

Part Code	Description	Qty
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	2
SDM295PP	Section A - 1ft Panel (295x 1603mm)	2
SDM1180WP	Section E - 4ft Window Panel (1180x1603mm)	2
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	4
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	2
SDAMPEA5RH	Back Right Apex Section (777x1510mm)	1
SDAMPEA5LH	Back Left Apex Section (777x1510mm)	1
SDAMDDDEA5RH	Front Right Apex Section (476x920mm)	1
SDAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
SDAMDDDEA5LH	Front Left Apex Section (476x920mm)	1
MWSBFL55	Floor (1475x1503mm)	4
MSDDR	Door (582x1692mm)	2
28120550PDT	Window Cover Strip (28x12x550mm)	6
28280548DT	Interior Sill (28x28x548mm)	4
28281180DT	Door Batten (28x28x1180mm)	1
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40120315AI63DT	Apex Section - Front Cover Strip (40x12x315mm)	2
40120730AI63DT	Apex Section - Back Cover Strip (40x12x730mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	11
45281421P	Beam - Truss (45x28x1421mm)	12
45281630DT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	2
45451677PAII63	Central Beam - Truss (45x45x1677mm)	2
59121825PAII63DT	Fascia (59x12x1825mm)	4
RPET590	Window (575x577mm)	4
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 10' x 15' - No Windows (SDA1015DDNWM)

Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	4
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	1
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	8
SDAMPEA5RH	Back Right Apex Section (777x1510mm)	1
SDAMPEA5LH	Back Left Apex Section (777x1510mm)	1
SDAMDDDEA5RH	Front Right Apex Section (476x920mm)	1
SDAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
SDAMDDDEA5LH	Front Left Apex Section (476x920mm)	1
MWSBFL55	Floor (1475x1503mm)	6
MSDDR	Door (582x1692mm)	2
28281180DT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	2
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40120315AI63DT	Apex Section - Front Cover Strip (40x12x315mm)	2
40120730AI63DT	Apex Section - Back Cover Strip (40x12x730mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	12
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	6
45281630DT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	4
45451677PAII63	Central Beam - Truss (45x45x1677mm)	4
59121825PAII63DT	Fascia (59x12x1825mm)	4
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	2
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 10' x 15' - 6 Windows (SDA1015DDM)

Part Code	Description	Qty
SDM885WP	Section D - 3ft Window Panel (885 x 1603mm)	3
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	5
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	1
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	5
SDAMPEA5RH	Back Right Apex Section (777x1510mm)	1
SDAMPEA5LH	Back Left Apex Section (777x1510mm)	1
SDAMDDDEA5RH	Front Right Apex Section (476x920mm)	1
SDAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
SDAMDDDEA5LH	Front Left Apex Section (476x920mm)	1
MWSBFL55	Floor (1475x1503mm)	6
MSDDR	Door (582x1692mm)	2
28120550PDT	Window Cover Strip (28x12x550mm)	9
28280400DT	Interior Sill (28x28x400mm)	6
28281180DT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	2
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40120315AI63DT	Apex Section - Front Cover Strip (40x12x315mm)	2
40120730AI63DT	Apex Section - Back Cover Strip (40x12x730mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	13
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	6
45281630DT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	4
45451677PAII63	Central Beam - Truss (45x45x1677mm)	4
59121825PAII63DT	Fascia (59x12x1825mm)	4
RPET885	Window (428x577mm)	6
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	2
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 10' x 20' - 8 Windows (SDA1020DDNWM)

Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	2
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	1
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	12
SDAMPEA5RH	Back Right Apex Section (777x1510mm)	1
SDAMPEA5LH	Back Left Apex Section (777x1510mm)	1
SDAMDDDEA5RH	Front Right Apex Section (476x920mm)	1
SDAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
SDAMDDDEA5LH	Front Left Apex Section (476x920mm)	1
MWSBFL55	Floor (1475x1503mm)	8
MSDDR	Door (582x1692mm)	2
28281180DT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	4
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40120315AI63DT	Apex Section - Front Cover Strip (40x12x315mm)	2
40120730AI63DT	Apex Section - Back Cover Strip (40x12x730mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	14
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	12
45281630DT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	6
45451677PAII63	Central Beam - Truss (45x45x1677mm)	6
59121825PAII63DT	Fascia (59x12x1825mm)	4
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

Shiplap Apex 10' x 20' - 8 Windows (SDA1020DDM)

Part Code	Description	Qty
SDM885PP	Section D - 3ft Panel (885 x 1603mm)	2
SDM590PP	Section C - 2ft Panel (590 x 1603mm)	3
SDM1180WP	Section E - 4ft Window Panel (1180x1603mm)	4
SDM1180PP	Section E - 4ft Panel (1180x1603mm)	7
SDAMPEA5RH	Back Right Apex Section (777x1510mm)	1
SDAMPEA5LH	Back Left Apex Section (777x1510mm)	1
SDAMDDDEA5RH	Front Right Apex Section (476x920mm)	1
SDAMDDDEA5MID	Front Middle Apex Section (692x1180mm)	1
SDAMDDDEA5LH	Front Left Apex Section (476x920mm)	1
MWSBFL55	Floor (1475x1503mm)	8
MSDDR	Door (582x1692mm)	2
28120550PDT	Window Cover Strip (28x12x550mm)	12
28280548DT	Interior Sill (28x28x548mm)	8
28281180DT	Door Batten (28x28x1180mm)	1
28281475	Roof Support Strip (28x28x1475mm)	4
28281491	Roof Support Strip (28x28x1491mm)	4
38121710PDT	Weather Strip (38x12x1710mm)	2
40120315AI63DT	Apex Section - Front Cover Strip (40x12x315mm)	2
40120730AI63DT	Apex Section - Back Cover Strip (40x12x730mm)	1
40121583PDT	Cover Strip (40x12x1583mm)	15
45281421P	Beam - Truss (45x28x1421mm)	12
45281426P	Beam - Truss (45x28x1426mm)	12
45281630PT	Slamming Strip (45x28x1630mm)	1
45450895P	Truss Support Batten (45x45x895mm)	6
45451677PAII63	Central Beam - Truss (45x45x1677mm)	6
59121825PAII63DT	Fascia (59x12x1825mm)	4
RPET590	Window (575x577mm)	8
OSB178614918	OSB Roof Sheet (1786x1491x8mm)	4
OSB178614758	Middle OSB Roof Sheet (1786x1475x8mm)	4
FIN20010512DTR	Finial (105x12x200mm)	1

Contact our aftersales team with your product code if you are missing your felt.

(The parts do not have codes on them. They are listed above should you need to order one.)